WHAT IS CLAIMED IS:

- 1 1. A nutraceutical composition comprising extracts of at least three or four herbs,
 2 wherein the first herb, which is optional, is *Hedysarum polybotrys Hand.-Mazz*. or
 3 *Astragalus membranceus Bge.*, the second herb is *Atractylodes macrocephala kodiz.*, the
 4 third herb is *Ledebouriella seseloides (hoffm.) Wolff*, and the fourth herb is an anti-allergy
 5 herb.
- 1 2. The nutraceutical composition of claim 1, wherein the fourth herb is 2 Centipeda minimal (L.) A. Br. Et Aschers.
- 1 3. The nutraceutical composition of claim 2, wherein the weight ratio of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 4. The nutraceutical composition of claim 2, wherein the nutraceutical composition contains extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs
- 5. The nutraceutical composition of claim 4, wherein the weight ratio of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 1 6. The nutraceutical composition of claim 1, wherein the fourth herb is Magnolia biondii Pamp.
- 7. The nutraceutical composition of claim 6, wherein the weight ratio of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5).
- 1 8. The nutraceutical composition of claim 6, wherein the nutraceutical 2 composition contains extracts of only four herbs, i.e., the first, second, third, and fourth 3 herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs.

1	9.	The nutraceutical composition of claim 8, wherein the weight ratio of the first,
2	second, third,	and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
3		
1	10.	The nutraceutical composition of claim 1, wherein the nutraceutical
2	composition contains extracts of only four herbs, i.e., the first, second, third, and fourth	
3	herbs; or extr	acts of only three herbs, i.e., the second, third, and fourth herbs.
1	11.	The nutraceutical composition of claim 10, wherein the weight ratio of the
2	first, second,	third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
1 ,	12.	A method of treating a disorder related to excessive secretion of histamine,
2	comprising administering to a subject in need thereof extracts of at least three or four herbs,	
3	wherein the first herb, which is optional, is Hedysarum polybotrys HandMazz. or	
4	Astragalus membranceus Bge., the second herb is Atractylodes macrocephala kodiz., and the	
5	third herb is	Ledebouriella seseloides (hoffm.) Wolff, and the fourth herb is an anti-allergy
6	herb.	
1	13.	The method of claim 12, wherein the fourth herb is Centipeda minimal (L.) A.
2	Br. Et Aschers or Magnolia biondii Pamp.	
1	14.	The method of claim 13, wherein the disorder is allergic rhinitis, asthma, or
2	eczyma.	
1	15.	The method of claim 14, wherein the disorder is allergic rhinitis.
1	16.	The method of claim 13, wherein the weight ratio of the first, second, third,
2	and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).	
1	17.	The method of claim 16, wherein the disorder is allergic rhinitis, asthma, or
2	eczyma.	

18. The method of claim 17, wherein the disorder is allergic rhinitis. 1 The method of claim 13, wherein the method includes administering extracts 19. 1 of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three 2 3 herbs, i.e., the second, third, and fourth herbs. The method of claim 19, wherein the weight ratio of the first, second, third, 20. 1 2 and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5). 1 21. The method of claim 20, wherein the disorder is allergic rhinitis, asthma, or 2 _ eczyma. 22. The method of claim 21, wherein the disorder is allergic rhinitis. 1 The method of claim 12, wherein the disorder is allergic rhinitis, asthma, or 23. 1 2 eczyma. 1 24. The method of claim 23, wherein the disorder is allergic rhinitis. 1 25. The method of claim 12, wherein the method includes administering extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three 2 herbs, i.e., the second, third, and fourth herbs. 3

26.

and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).

1

2

The method of claim 25, wherein the weight ratio of the first, second, third,

- 27. A method of treating a disorder related to excessive secretion of interleukin-4, comprising administering to a subject in need thereof extracts of at least three or four herbs, wherein the first herb, which is optional, is *Hedysarum polybotrys Hand.-Mazz*. or *Astragalus membranceus Bge.*, the second herb is *Atractylodes macrocephala kodiz.*, and the third herb is *Ledebouriella seseloides (hoffm.) Wolff*, and the fourth herb is an anti-allergy herb.
- 1 28. The method of claim 27, wherein the fourth herb is Centipeda minimal (L.) A.
 2 Br. Et Aschers or Magnolia biondii Pamp.
- 1 29. The method of claim 28, wherein the disorder is allergic rhinitis, asthma, or eczyma.
- 1 30. The method of claim 29, wherein the disorder is allergic rhinitis.
- 1 31. The method of claim 28, wherein the weight ratio of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5).
- The method of claim 31, wherein the disorder is allergic rhinitis, asthma, or eczyma.
- 1 33. The method of claim 32, wherein the disorder is allergic rhinitis.
- 1 34. The method of claim 28, wherein the method includes administering extracts 2 of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three 3 herbs, i.e., the second, third, and fourth herbs.
- 1 35. The method of claim 34, wherein the weight ratio of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).

- The method of claim 35, wherein the disorder is allergic rhinitis, asthma, or eczyma.
- 1 37. The method of claim 36, wherein the disorder is allergic rhinitis.
- 1 38. The method of claim 27, wherein the disorder is allergic rhinitis, asthma, or eczyma.
- 1 39. The method of claim 38, wherein the disorder is allergic rhinitis.
- 1 40. The method of claim 27, wherein the method includes administering extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs.
- 1 41. The method of claim 40, wherein the weight ratio of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5).